

Ambit Pendant Lamp

“What defines our attraction to shapes? With the Ambit Pendant Lamp, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Pendant Lamp a timeless design that you’ll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch.”

— TAF Studio



Designed by	TAF Studio / 2015
About the designer	TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson and Mattias Ståhlbom. The duo works within product and interior design.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Pendant Lamp features clean lines and a white interior that heighten contrasts of its outside shade while enhancing the light emitted in any room of a home, office or commercial space. Use the design on its own or symmetric formations and vibrant clusters.
Material	Aluminum lamp shade and PVC cord. Made from old brazer traditions, the lamp shade is press spun by hand. Hereafter, the lamp shade is polished and painted by hand.
Cleaning & Care	Clean the lamp with a soft dry cloth only. Always switch off electricity supply before cleaning.
Cord length	400 cm / 157.5"
Light source included	Ø 16,5 cm: Yes Ø 25 cm, Ø 40 cm, Ø 55 cm: No
Ceiling Cap included	Ø 16,5 cm, Ø 25 cm, Ø 40 cm, Ø 55 cm: Yes
Dimmable function	Yes.

Ambit Pendant Lamp

Dimensions

Ø 16,5 cm

Length:	16,7 cm / 6.6"
Height:	9,8 cm / 3.9"
Width:	16,7 cm / 6.6"
Diameter:	16,7 cm / 6.6"
Cord Length:	400 cm / 157.5"




Ø 25 cm

Length:	25 cm / 9.8"
Height:	15 cm / 5.9"
Width:	25 cm / 9.8"
Diameter:	25 cm / 9.75"
Cord Length:	400 cm / 157.5"




Ø 40 cm

Length:	40 cm / 15.7"
Height:	23,8 cm / 9.4"
Width:	40 cm / 15.7"
Diameter:	40 cm / 15.75"
Cord Length:	400 cm / 157.5"



Ø 55 cm

Length:	55 cm / 21.7"
Height:	33,5 cm / 13.2"
Width:	55 cm / 21.7"
Diameter:	55 cm / 21.7"
Cord Length:	400 cm / 157.5"



Ready-to-ship

Black
Dusty Green
White
Grey
Taupe
Light Blue
Rose



Lamp rating

	Ø 16,5 cm	Ø 25 cm	Ø 40 cm	Ø 55 cm
Voltage	220-240V	220-240V	220-240V	220-240V
Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz
IP Rating	IP20	IP20	IP20	IP20
Classification	Class II	Class II	Class II	Class II
Socket	1 x Gx53 Max. 12W LED	1 x E14 Max. 60W; incandescent lamp Max. 13W; self-ballasted; Type G Max. 11W; self-ballasted LED bulb	1 x E27 Max. 60W; incandescent lamp Max. 13W; self-ballasted; Max. 18W; self-ballasted LED bulb	1 x E27 Max. 60W; incandescent lamp; Max. 13W; self-ballasted CFL Max. 11W; self-ballasted LED bulb

Ambit Pendant Lamp


Light source recommendation

	Ø 25 cm	Ø 40 cm	Ø 55 cm
Lamp Base	E14	E27	E27
Dimensions	Ø45 x 85 mm	Ø60 x 110 mm	Ø60 x 110 mm
Light Source Shape	P45 / G45	A60 / A69	A60 / A69
Light Source Type	Halogen / LED with frosted diffuser	Halogen / LED with frosted diffuser	Halogen / LED with frosted diffuser
Max Voltage	Max. 60W; incandescent lamp Max. 13W; self-ballasted; Type G Max. 11W; self-ballasted LED bulb	Max. 60W; incandescent lamp Max. 13W; self-ballasted Max. 18W; self-ballasted LED bulb	Max. 60W; incandescent lamp; Max. 13W; self-ballasted CFL Max. 11W; self-ballasted LED bulb

Light source specification

Item	Ø 16,5 cm 1x GX53 LED bulb, diffused.
Watt	5,5W
Lumen	330 lm
Lumen Maintenance	30.000h
Kelvin	2700K
CRI	90
Dimmable	Yes

Energy Label



Ambit Pendant Lamp

Tests, Labels & Certifications

Electromagnetic
Compatibility

Electromagnetic Compatibility (EMC)

Safety & Regulations

CCC
ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Regulatory Compliance Mark (RCM)
Restriction of Hazardous Substances Directive (RoHS)
Waste of Electronic and Electrical Equipment (WEEE)



IP20



[Explore Assets](#)

[DOWNLOADSITE](#)