
### **Unfold Pendant Lamp**

"We wanted to bring a new perspective to the classic industrial light with the Unfold Pendant Lamp, creating an expression that is at once timeless and modern. To achieve this, the design comes in a rubber silicone material for a playful and tactile character along with a matte touch. With its modern and flexible material, the Unfold Pendant Lamp can be folded into a flat box for eco-friendly shipping and a contemporary look."





**Designed by** Form Us With Love

**About the designer** Form Us With Love is a Stockholm-based multidisciplinary design and interior architecture studio.

Their work has won several prestigious awards such as the Red Dot and Young Swedish Design Awards. Further accrediting the trio are successful exhibitions at venues like MoMA and the

Swedish National Gallery.

Environment Indoor

Country of Production China

Preassembled Yes.

**Description** A quirky take on the industrial pendant lampshade, the Unfold Pendant Lamp is useful in any home

or professional space. Made of soft silicone rubber, the pendant is available in a wide range of colors

to brighten up any room.

Material Shade is made in silicone rubber and cord is made in PVC. The diffuser is made in a clear frosted

opal acrylic material. The shade is pressed in vulcanised rubber under high temperature. Diffuser

and socket holder cut by laser.

Cleaning & Care Clean with soft, dry or moist cloth. Always switch off the electricity supply before cleaning

**Cord length** 400 cm / 157.5"

Light source included No
Ceiling Cap included Yes
Dimmable function Yes.



# **Unfold Pendant Lamp**

#### **Dimensions**

 Height:
 29,5 cm / 11.5"

 Diameter:
 32,5 cm / 12.8"

 Cord Length:
 360 cm / 141.5"



#### Ready-to-ship

Dark Grey Black Yellow Light Grey Green Orange Dusty Red White Mustard Terracotta Beige-Rose Olive



#### Lamp rating

 Voltage
 220-240V

 Frequency
 50Hz

 IP Rating
 IP20

 Classification
 Class II

 Socket
 1 x E27

Max. 60W Type G Max. 20W CFL Max. 18W LED

## Light source recommendation

Max. 60W Type G Max. 20W CFL Max. 18W LED



# **Unfold Pendant Lamp**

Tests, Labels  $\delta$ Certifications

Safety & Regulations

EAC Certificate ECO Design Directive Low Voltage Directive 2014/35 EU (LVD)

REACH

Regulatory Compliance Mark (RCM)

Restriction of Hazardous Substances Directive (RoHs) Waste of Electronic and Electrical Equipment (WEEE)















**Explore Assets** 

**DOWNLOADSITE** 

