

Rugs in stock



kvadrat


Rugs in stock

Kvadrat rugs are hand made and made to-measure. Characterised by outstanding craftsmanship, meticulous attention-to-detail and tactile structures, they reinterpret classic techniques in a contemporary light.

Due to the hand made process and the intensive detailing involved in the making of our rugs, and because a lot of our hand crafted rugs are produced in India and Nepal, production times can vary from time to time. As a quick ship service, we have therefore selected some of our bestselling rugs in a choice of colours and sizes to be available from stock.



Aram 2



Aram 2

Design Kinnasand

Production method Hand woven kelim made with Sumak technique

Material 100% pure New Zealand wool

Height 12 mm (½")

Weight 3300 g/m² 10.8 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size of border 3 cm (1¼")

Size variation +/-3%

Traffic Suitable for medium to heavy residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630, ASTM E 648 Class I

Care Professional cleaning


Country of origin India

Notes


Slight colour differences will occur

Irregularities may occur as a result of the hand woven process

Rug underlay recommended



0191



0131



Bold | Bold Block

Design Hella Jongerius

Production method Hand woven

Material 100% pure New Zealand wool

Height 12 mm (½")

Weight 3800 g/m² (12.5 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size variation +/- 3%

Traffic Suitable for moderate to medium residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630

Care Professional cleaning

Country of origin India

Notes

Slight colour differences may occur

Irregularities will occur as a result of the hand woven process

Fringe length of 7 cm (2¾") at top and bottom of rug

Rug underlay recommended



Bold 0112



Bold Block 0110



Bold Melange

Bold Melange

Design Hella Jongerius

Production method Hand woven

Material 100% pure New Zealand wool

Height 12 mm (½")

Weight 3100 g/m² (10.2 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size variation +/- 3%

Traffic Suitable for moderate to medium residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630

Care Professional cleaning

Country of origin India

Notes

Slight colour differences may occur

Irregularities will occur as a result of the hand woven process

Fringe length of 7 cm (2¾") at top and bottom of rug

Rug underlay recommended



0231



0241

Cascade



Cascade

Design Kinnasand

Production method Hand knotted, 26,000 Persian knots/m²

Material 66% pure new wool, 18% linen, 16% silk

Height 15 mm (½")

Weight 5000 g/m² (16.4 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size of border 7 cm (2¾")

Size variation +/-3%

Traffic Suitable for light to moderate residential use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Cfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630, ASTM E 648 Class II

Care Professional cleaning

Country of origin India

Notes

Slight colour differences may occur

Irregularities may occur as a result of the hand knotted process

Rug underlay recommended




0006



0023



Duotone



Duotone

Design Hella Jongerius

Production method Hand woven

Material 100% pure New Zealand wool

Height 5 mm (1/4")

Weight 1600 g/m² (5.2 oz/sq ft)

Sizes 180 cm x 240 cm (70 3/4" x 94 1/2"), 200 cm x 300 cm (78 3/4" x 118")

Size variation +/- 3%

Traffic Suitable for medium to heavy residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630

Care Professional cleaning

Country of origin India


Notes

Slight colour differences may occur

Irregularities will occur as a result of the hand woven process

Fringe length of 7 cm (2 3/4") at top and bottom of rug

Rug underlay recommended



0191



0721



Fringe

Design Daniel Costa

Production method Hand woven

Material 100% pure New Zealand wool

Height 5 mm (1/4")

Weight 1400g/m² (4.6oz/sq ft)

Sizes 180 cm × 240 cm (70 3/4" × 94 1/2"), 200 cm × 300 cm (78 3/4" × 118")

Size variation +/- 3%

Traffic Suitable for moderate to medium residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630

Care Professional cleaning

Country of origin India

Notes

Slight colour differences may occur

Irregularities will occur as a result of the hand woven process

Block coloured edge at top (5 cm, 2") and bottom (10 cm, 4") of rug


Fringes at the sides of the rug: 15 cm (6")

Rug measurements include edges and fringes

Rug underlay recommended



0192



0422



Kanon



Design Kinnasand

Production method Hand knotted, 21,000 Persian knots/m² and hand woven

Material 68% cotton (base), 32% pure New Zealand wool

Height 5 mm (1/4")

Weight 2000 g/m² (6.5oz/sq ft)

Sizes 180 cm × 240 cm (70 3/4" × 94 1/2"), 200 cm × 300 cm (78 3/4" × 118")

Size of border 3 cm (1 1/4")

Size variation +/-3%

Traffic Suitable for light to moderate residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Cfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630, ASTM E 648 Class I, ASTM E 662, JIS L 1091 B

Care Professional cleaning

Country of origin India

Notes

Slight colour differences may occur

Irregularities may occur as a result of the hand knotted and hand woven process

Irregular shearing of the pile

Rug underlay recommended



0003



0023





Lavo 2

Design Kinnasand

Production method Hand knotted, 20,000 Persian knots/m²

Material 80% pure new Sardinian wool, 20% pure New Zealand wool

Height 11mm (½")

Weight 2600 g/m² (8.52 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size of border 2 cm (¾")

Size variation +/- 3%

Traffic Suitable for light to moderate residential use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Cfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630, ASTM E 648 Class I, ASTM E 662

Care Professional cleaning

Country of origin India

Notes

Slight colour differences will occur

Characteristic colour shading is obtained by washing and yarn dyeing method

Irregularities may occur as a result of the hand knotted process

Abrash character may occur, created by subtle dyeing and a special wash

Hand brushed woven border

Rug underlay recommended



0011



0033

Semis



Semis

Design Ronan and Erwan Bouroullec

Production method Hand knotted , 108,000 Tibetan knots/m²

Material 90% Tibetan wool, 10% cotton

Height 10 mm and 15mm (½")

Weight 3800 g/m² (12.5 oz/sq ft)

Sizes 180 cm × 240 cm (70¾" × 94½"), 200 cm × 300 cm (78¾" × 118")

Size variation +/-4%

Traffic Suitable for light to moderate residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Cfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630

Care Professional cleaning

Country of origin Nepal



Notes

Slight colour differences may occur

Irregularities will occur as a result of the hand knotted process

Irregular cutting is part of the design

Oblong octagon shape





Vintage Naturally Coloured Fringes

Vintage Naturally Coloured Fringes

Design Kinnasand

Production method Hand woven kelim

Material 100% pure New Zealand wool

Height 5 mm (1/4")

Weight 2000 g/m² (6.5 oz/sq ft)

Sizes 180 cm × 240 cm (70 3/4" × 94 1/2"), 200 cm × 300 cm (78 3/4" × 118")

Length of fringes 5 cm–6 cm (2"–2 1/4") including woven border

Size variation +/-3%

Traffic Suitable for moderate to medium residential and commercial use with exceptions of stairways, corridors or with the use of castors

Flammability EN 13501-1 Bfl-s1, ASTM D 2859/CPSC FF 1-70/FF 2-70, 16 CFR 1630, ASTM E 648 Class I, ASTM E 662, JIS L 1091 B

Care Professional cleaning

Country of origin India

Notes


Slight colour differences may occur

Irregularities or waveiness may occur as a result of the hand woven process

Abrash character may occur, created by subtle dyeing and a special wash

Rug underlay recommended

Length of fringes can vary by +/-1cm (1/2")



7713



7743

